

● Model: MCL21CWBI (Bluetooth/USB/Wired LAN/Wireless LAN), MCL21CWBI LBL (Bluetooth/USB/Wired LAN/Wireless LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
	iOS	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
	Windows UWP	Bluetooth/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
	iOS	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
StarXpand SDK for Web	Google Chrome Browser *1 Microsoft Edge for Windows	USB	✓	—	✓	—	—	—	—
StarPRNT SDK	Android	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
	iOS	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
	Windows Desktop	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
	Windows UWP	Bluetooth/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
CloudPRNT	Version HTTP	Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
	Version MQTT	Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	—
StarIO.Online	Version HTTP	Wired LAN/Wireless LAN	✓	—	—	✓	—	—	—
	Version MQTT	Wired LAN/Wireless LAN	✓	—	—	✓	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	Bluetooth/USB	✓	—	✓	✓	—	—	—
	webPRNT Browser iOS	Bluetooth/USB	✓	—	✓	✓	—	—	—
PassPRNT	Android	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	—	—	—	—	—
	iOS	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	—	—	—	—	—
	Windows	Bluetooth/Wired LAN/Wireless LAN	✓	—	—	—	—	—	—
Windows Driver	Windows	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	—	—	—	—	
OPOS	Windows	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	✓	✓	—	—	
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	—	—	—	—	
CUPS	macOS/Linux	Bluetooth/USB/Wired LAN/Wireless LAN	✓	—	—	—	—	—	

\*1) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCL21CI (USB/Wired LAN), MCL21CI LBL (USB/Wired LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB/Wired LAN	✓	—	✓	✓	—	—	—
	iOS	USB/Wired LAN	✓	—	✓	✓	—	—	—
	Windows UWP	Wired LAN	✓	—	✓	✓	—	—	—
StarXpand SDK for Native Application	Android	USB/Wired LAN	✓	—	✓	✓	—	—	—
	iOS	USB/Wired LAN	✓	—	✓	✓	—	—	—
StarXpand SDK for Web	Google Chrome Browser *1 Microsoft Edge for Windows	USB	✓	—	✓	—	—	—	—
StarPRNT SDK	Android	USB/Wired LAN	✓	—	✓	✓	—	—	—
	iOS	USB/Wired LAN	✓	—	✓	✓	—	—	—
	Windows Desktop	USB/Wired LAN	✓	—	✓	✓	—	—	—
	Windows UWP	Wired LAN	✓	—	✓	✓	—	—	—
CloudPRNT	Version HTTP	Wired LAN	✓	—	✓	✓	—	—	—
	Version MQTT	Wired LAN	✓	—	✓	✓	—	—	—
StarIO.Online	Version HTTP	Wired LAN	✓	—	—	✓	—	—	—
	Version MQTT	Wired LAN	✓	—	—	✓	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	USB	✓	—	✓	✓	—	—	—
	webPRNT Browser iOS	USB	✓	—	✓	✓	—	—	—
PassPRNT	Android	USB/Wired LAN	✓	—	—	—	—	—	—
	iOS	USB/Wired LAN	✓	—	—	—	—	—	—
	Windows	Wired LAN	✓	—	—	—	—	—	—
Windows Driver	Windows	USB/Wired LAN	✓	—	—	—	—	—	—
OPOS	Windows	USB/Wired LAN	✓	—	✓	✓	—	—	—
JavaPOS	Windows/macOS/Linux	USB/Wired LAN	✓	—	—	—	—	—	—
CUPS	macOS/Linux	USB/Wired LAN	✓	—	—	—	—	—	—

\*1) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

# 【mC-Label3】

● Model : MCL32CBI (Bluetooth/USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound *1	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Native Application	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Web	Google Chrome Browser *2 Microsoft Edge for Windows	USB	✓	✓	✓	—	✓	✓	—
StarPRNT SDK	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows Desktop	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
CloudPRNT	Version HTTP	LAN	✓	✓	✓	✓	✓	✓	✓
	Version MQTT	LAN	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)
StarIO.Online	Version HTTP	LAN	✓	✓	—	✓	✓	✓	✓
	Version MQTT	LAN	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	—	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	Bluetooth/USB	✓	✓	✓	✓	✓	✓	—
	webPRNT Browser iOS	Bluetooth	✓	✓	✓	✓	✓	✓	—
PassPRNT	Android	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓
	iOS	Bluetooth/LAN	✓	✓	—	—	✓	✓	✓
	Windows	Bluetooth/LAN	✓	✓	—	—	✓	✓	✓
Windows Driver	Windows	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓
OPOS	Windows	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓
CUPS	macOS/Linux	Bluetooth/USB	✓	✓	—	—	✓	✓	—

\*1) Sound or volume selection is not supported.

\*2) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCL32CI (USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound *1	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Native Application	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Web	Google Chrome Browser *2 Microsoft Edge for Windows	USB	✓	✓	✓	—	✓	✓	—
StarPRNT SDK	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
	Windows Desktop	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	LAN	✓	✓	✓	✓	✓	✓	✓
CloudPRNT	Version HTTP	LAN	✓	✓	✓	✓	✓	✓	✓
	Version MQTT	LAN	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓
StarIO.Online	Version HTTP	LAN	✓	✓	—	✓	✓	✓	✓
	Version MQTT	LAN	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	—	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)	✓ (Firmware Ver. 1.5 or later)
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	USB	✓	✓	✓	✓	✓	✓	—
	webPRNT Browser iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	✓	✓	✓
	iOS	LAN	✓	✓	—	—	✓	✓	✓
	Windows	LAN	✓	✓	—	—	✓	✓	✓
Windows Driver	Windows	USB/LAN	✓	✓	—	—	✓	✓	✓
OPOS	Windows	USB/LAN	✓	✓	✓	✓	✓	✓	✓
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	✓	✓	✓
CUPS	macOS/Linux	USB	✓	✓	—	—	✓	✓	—

\*1) Sound or volume selection is not supported.

\*2) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

# 【mC-Print3】

● Model : MCP31CBI (Bluetooth/USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Native Application	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Web	Google Chrome Browser *2 Microsoft Edge for Windows	USB	✓	✓	✓	—	✓	✓	—
StarPRNT SDK	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows Desktop	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
CloudPRNT	Version HTTP	LAN	✓	✓	✓	✓	✓	✓ *1	✓
	Version MQTT	LAN	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	✓ *1 (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)
StarIO.Online	Version HTTP	LAN	✓	✓	—	✓	✓	✓ *1	✓
	Version MQTT	LAN	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	—	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	✓ *1 (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	Bluetooth/USB	✓	✓	✓	✓	✓	✓	—
	webPRNT Browser iOS	Bluetooth/USB	✓	✓	✓	✓	✓	✓	—
PassPRNT	Android	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓
	iOS	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓
	Windows	Bluetooth/LAN	✓	✓	—	—	✓	✓	✓
Windows Driver	Windows	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓
OPOS	Windows	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓ *1	✓
CUPS	macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓

\*1) Sound or volume selection is not supported.

\*2) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCP31CI (USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Native Application	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	USB/LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Web	Google Chrome Browser *2 Microsoft Edge for Windows	USB	✓	✓	✓	—	✓	✓	—
StarPRNT SDK	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows Desktop	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	LAN	✓	✓	✓	✓	✓	✓	✓
CloudPRNT	Version HTTP	LAN	✓	✓	✓	✓	✓	✓ *1	✓
	Version MQTT	LAN	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	✓	✓ (Firmware Ver. 5.1 or later)	✓ *1 (Firmware Ver. 5.1 or later)	✓
StarIO.Online	Version HTTP	LAN	✓	✓	—	✓	✓	✓ *1	✓
	Version MQTT	LAN	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	—	✓ (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)	✓ *1 (Firmware Ver. 5.1 or later)	✓ (Firmware Ver. 5.1 or later)
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	USB	✓	✓	✓	✓	✓	✓	—
	webPRNT Browser iOS	USB	✓	✓	✓	✓	✓	✓	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	✓	✓	✓
	iOS	USB/LAN	✓	✓	—	—	✓	✓	✓
	Windows	LAN	✓	✓	—	—	✓	✓	✓
Windows Driver	Windows	USB/LAN	✓	✓	—	—	✓	✓	✓
OPOS	Windows	USB/LAN	✓	✓	✓	✓	✓	✓	✓
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	✓	✓ *1	✓
CUPS	macOS/Linux	USB/LAN	✓	✓	—	—	✓	✓	✓

\*1) Sound or volume selection is not supported.

\*2) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCP31CB (Bluetooth/USB/LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Native Application	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Web	Google Chrome Browser *3 Microsoft Edge for Windows	USB	✓	✓	✓	—	✓	✓	—
StarPRNT SDK	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
	Windows Desktop	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	Bluetooth/LAN	✓	✓	✓	✓	✓	✓	✓
CloudPRNT	Version HTTP	LAN	✓	✓	✓	✓	✓	✓ *1	✓
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	LAN	✓	✓	—	✓	✓	✓ *1	✓
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓ *2	✓ *2	✓	✓ *1	✓
	webPRNT Browser Android	Bluetooth/USB	✓	✓	✓	✓	✓	✓	—
	webPRNT Browser iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓
	iOS	LAN	✓	✓	—	—	✓	✓	✓
	Windows	Bluetooth/LAN	✓	✓	—	—	✓	✓	✓
Windows Driver	Windows	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓
OPOS	Windows	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓	✓
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓ *1	✓
CUPS	macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓	✓

\*1) Sound or volume selection is not supported.

\*2) SSL/TLS is not supported.

\*3) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCP31C (USB/LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Native Application	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Web	Google Chrome Browser *3 Microsoft Edge for Windows	USB	✓	✓	✓	—	✓	✓	—
StarPRNT SDK	Android	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	LAN	✓	✓	✓	✓	✓	✓	✓
	Windows Desktop	USB/LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	LAN	✓	✓	✓	✓	✓	✓	✓
CloudPRNT	Version HTTP	LAN	✓	✓	✓	✓	✓	✓ *1	✓
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	LAN	✓	✓	—	✓	✓	✓ *1	✓
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓ *2	✓ *2	✓	✓ *1	✓
	webPRNT Browser Android	USB	✓	✓	✓	✓	✓	✓	—
	webPRNT Browser iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	✓	✓	✓
	iOS	LAN	✓	✓	—	—	✓	✓	✓
	Windows	LAN	✓	✓	—	—	✓	✓	✓
Windows Driver	Windows	USB/LAN	✓	✓	—	—	✓	✓	✓
OPOS	Windows	USB/LAN	✓	✓	✓	✓	✓	✓	✓
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	✓	✓ *1	✓
CUPS	macOS/Linux	USB/LAN	✓	✓	—	—	✓	✓	✓

\*1) Sound or volume selection is not supported.

\*2) SSL/TLS is not supported.

\*3) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCP31LB (Bluetooth/USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
	iOS	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
	Windows UWP	Bluetooth/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
StarXpand SDK for Native Application	Android	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
	iOS	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
StarXpand SDK for Web	Google Chrome Browser *3 Microsoft Edge for Windows	USB	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—
StarPRNT SDK	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓
	iOS	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓
	Windows Desktop	Bluetooth/USB/LAN	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓
	Windows UWP	Bluetooth/LAN	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓
CloudPRNT	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ *1 (Firmware Ver. 1.4 or later)	✓
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	—	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ *1 (Firmware Ver. 1.4 or later)	✓
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓ *2 (Firmware Ver. 2.1 or later)	✓ *2 (Firmware Ver. 2.1 or later)	✓	✓ *1 (Firmware Ver. 1.5 or later)	✓
	webPRNT Browser Android	Bluetooth/USB	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	—
	webPRNT Browser iOS	Bluetooth/USB	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	—
PassPRNT	Android	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓ (Firmware Ver. 1.4 or later)	✓
	iOS	Bluetooth/USB/LAN	✓	✓	—	—	✓	✓ (Firmware Ver. 1.4 or later)	✓
	Windows	Bluetooth/LAN	✓	✓	—	—	✓	✓ (Firmware Ver. 1.4 or later)	✓
Windows Driver	Windows	Bluetooth/USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.4 or later)	✓	
OPOS	Windows	Bluetooth/USB/LAN	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓	
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.4 or later)	✓	
CUPS	macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.4 or later)	✓	

\*1) Sound or volume selection is not supported.

\*2) SSL/TLS is not supported.

\*3) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCP31L (USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
	iOS	USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
	Windows UWP	LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
StarXpand SDK for Native Application	Android	USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
	iOS	USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)
StarXpand SDK for Web	Google Chrome Browser *3 Microsoft Edge for Windows	USB	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—
StarPRNT SDK	Android	USB/LAN	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓
	iOS	USB/LAN	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓
	Windows Desktop	USB/LAN	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓
	Windows UWP	LAN	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓
CloudPRNT	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ *1 (Firmware Ver. 1.4 or later)	✓
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	—	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ *1 (Firmware Ver. 1.4 or later)	✓
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓ *2 (Firmware Ver. 2.1 or later)	✓ *2 (Firmware Ver. 2.1 or later)	✓	✓ *1 (Firmware Ver. 1.5 or later)	✓
	webPRNT Browser Android	USB	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	—
	webPRNT Browser iOS	USB	✓	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	✓	✓ (Firmware Ver. 1.4 or later)	✓
	iOS	USB/LAN	✓	✓	—	—	✓	✓ (Firmware Ver. 1.4 or later)	✓
	Windows	LAN	✓	✓	—	—	✓	✓ (Firmware Ver. 1.4 or later)	✓
Windows Driver	Windows	USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.4 or later)	✓	
OPOS	Windows	USB/LAN	✓	✓	✓	✓	✓ (Firmware Ver. 1.4 or later)	✓	
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.4 or later)	✓	
CUPS	macOS/Linux	USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.4 or later)	✓	

\*1) Sound or volume selection is not supported.

\*2) SSL/TLS is not supported.

\*3) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCP30 (USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—
	iOS	LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—
	Windows UWP	LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—
StarXpand SDK for Native Application	Android	USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—
	iOS	LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—
StarXpand SDK for Web	Google Chrome Browser *2 Microsoft Edge for Windows	USB	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—
StarPRNT SDK	Android	USB/LAN	✓	✓	—	—	✓	✓	—
	iOS	LAN	✓	✓	—	—	✓	✓	—
	Windows Desktop	USB/LAN	✓	✓	—	—	✓	✓	—
	Windows UWP	LAN	✓	✓	—	—	✓	✓	—
CloudPRNT	Version HTTP	LAN	✓	✓	—	—	✓	✓ *1	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	LAN	✓	✓	—	—	✓	✓ *1	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	—	—	✓	✓ *1	—
	webPRNT Browser Android	USB	✓	✓	—	—	✓	✓	—
	webPRNT Browser iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	✓	✓	—
	iOS	LAN	✓	✓	—	—	✓	✓	—
	Windows	LAN	✓	✓	—	—	✓	✓	—
Windows Driver	Windows	USB/LAN	✓	✓	—	—	✓	✓	—
OPOS	Windows	USB/LAN	✓	✓	—	—	✓	✓	—
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	✓	✓ *1	—
CUPS	macOS/Linux	USB/LAN	✓	✓	—	—	✓	✓	—

\*1) Sound or volume selection is not supported.

\*2) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

# 【mC-Print2】

●Model : MCP21LB (Bluetooth/USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)
	iOS	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)
	Windows UWP	Bluetooth/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)
StarXpand SDK for Native Application	Android	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)
	iOS	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	✓ (Firmware Ver. 3.0 or later)
StarXpand SDK for Web	Google Chrome Browser *2 Microsoft Edge for Windows	USB	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—
StarPRNT SDK	Android	Bluetooth/USB/LAN	✓	✓	✓	✓	—	—	✓
	iOS	Bluetooth/USB/LAN	✓	✓	✓	✓	—	—	✓
	Windows Desktop	Bluetooth/USB/LAN	✓	✓	✓	✓	—	—	✓
	Windows UWP	Bluetooth/LAN	✓	✓	✓	✓	—	—	✓
CloudPRNT	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	—	—	✓ (Firmware Ver. 1.2 or later)
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	—	✓ (Firmware Ver. 1.2 or later)	—	—	✓ (Firmware Ver. 1.2 or later)
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓ *1 (Firmware Ver. 2.1 or later)	✓ *1 (Firmware Ver. 2.1 or later)	—	—	✓
	webPRNT Browser Android	Bluetooth/USB	✓	✓	✓	✓	—	—	—
	webPRNT Browser iOS	Bluetooth/USB	✓	✓	✓	✓	—	—	—
PassPRNT	Android	Bluetooth/USB/LAN	✓	✓	—	—	—	—	✓
	iOS	Bluetooth/USB/LAN	✓	✓	—	—	—	—	✓
	Windows	Bluetooth/LAN	✓	✓	—	—	—	—	✓
Windows Driver	Windows	Bluetooth/USB/LAN	✓	✓	—	—	—	—	✓
OPOS	Windows	Bluetooth/USB/LAN	✓	✓	✓	✓	—	—	✓
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	—	—	✓
CUPS	macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	—	—	✓

\*1) SSL/TLS is not supported.

\*2) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCP20B (Bluetooth/USB/LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
	iOS	Bluetooth/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
	Windows UWP	Bluetooth/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth/USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
	iOS	Bluetooth/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
StarXpand SDK for Web	Google Chrome Browser *1 Microsoft Edge for Windows	USB	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth/USB/LAN	✓	✓	—	—	—	—	—
	iOS	Bluetooth/LAN	✓	✓	—	—	—	—	—
	Windows Desktop	Bluetooth/USB/LAN	✓	✓	—	—	—	—	—
	Windows UWP	Bluetooth/LAN	✓	✓	—	—	—	—	—
CloudPRNT	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	—	—	—	—	—
	webPRNT Browser Android	Bluetooth/USB	✓	✓	—	—	—	—	—
	webPRNT Browser iOS	Bluetooth	✓	✓	—	—	—	—	—
PassPRNT	Android	Bluetooth/USB/LAN	✓	✓	—	—	—	—	—
	iOS	Bluetooth/LAN	✓	✓	—	—	—	—	—
	Windows	Bluetooth/LAN	✓	✓	—	—	—	—	—
Windows Driver	Windows	Bluetooth/USB/LAN	✓	✓	—	—	—	—	—
OPOS	Windows	Bluetooth/USB/LAN	✓	✓	—	—	—	—	—
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	—	—	—
CUPS	macOS/Linux	Bluetooth/USB/LAN	✓	✓	—	—	—	—	—

\*1) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : MCP20 (USB/LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
	iOS	LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
	Windows UWP	LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
StarXpand SDK for Native Application	Android	USB/LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
	iOS	LAN	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
StarXpand SDK for Web	Google Chrome Browser *1 Microsoft Edge for Windows	USB	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—	—	—	—
StarPRNT SDK	Android	USB/LAN	✓	✓	—	—	—	—	—
	iOS	LAN	✓	✓	—	—	—	—	—
	Windows Desktop	USB/LAN	✓	✓	—	—	—	—	—
	Windows UWP	LAN	✓	✓	—	—	—	—	—
CloudPRNT	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	—	—	—	—	—
	Version MQTT	LAN	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	LAN	✓ (Firmware Ver. 1.2 or later)	✓ (Firmware Ver. 1.2 or later)	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	—	—	—	—	—
	webPRNT Browser Android	USB	✓	✓	—	—	—	—	—
	webPRNT Browser iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	—	—	—
	iOS	LAN	✓	✓	—	—	—	—	—
	Windows	LAN	✓	✓	—	—	—	—	—
Windows Driver	Windows	USB/LAN	✓	✓	—	—	—	—	—
OPOS	Windows	USB/LAN	✓	✓	—	—	—	—	—
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	—	—	—
CUPS	macOS/Linux	USB/LAN	✓	✓	—	—	—	—	—

\*1) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

【mPOP】

●Model : POP10 (Bluetooth/USB)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—
	iOS	Bluetooth	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—
	Windows UWP	Bluetooth	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth/USB	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—
	iOS	Bluetooth	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—
StarXpand SDK for Web	Google Chrome Browser *1 Microsoft Edge for Windows	USB	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—
StarPRNT SDK	Android	Bluetooth/USB	✓	✓	✓ (Firmware Ver. 2.0 or later)	✓	—	—	—
	iOS	Bluetooth	✓	✓	✓ (Firmware Ver. 2.0 or later)	✓	—	—	—
	Windows Desktop	Bluetooth/USB	✓	✓	✓ (Firmware Ver. 2.0 or later)	✓	—	—	—
	Windows UWP	Bluetooth	✓	✓	✓ (Firmware Ver. 2.0 or later)	✓	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android/iOS	Bluetooth	✓	✓	✓ (Firmware Ver. 2.0 or later)	✓	—	—	—
PassPRNT	Android	Bluetooth/USB	✓	✓	—	—	—	—	—
	iOS	Bluetooth	✓	✓	—	—	—	—	—
	Windows	Bluetooth	✓	✓	—	—	—	—	—
Windows Driver	Windows	Bluetooth/USB	✓	✓	—	—	—	—	—
OPOS	Windows	Bluetooth/USB	✓	✓	✓ (Firmware Ver. 2.0 or later)	✓	—	—	—
JavaPOS	Windows/macOS/Linux	Bluetooth/USB	✓	✓	—	—	—	—	—
CUPS	macOS/Linux	Bluetooth/USB	✓	✓	—	—	—	—	—

\*1) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : POP10CI (USB)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB	✓	✓	✓	✓	—	—	—
	iOS	USB	✓	✓	✓	✓	—	—	—
	Windows UWP	—	—	—	—	—	—	—	—
StarXpand SDK for Native Application	Android	USB	✓	✓	✓	✓	—	—	—
	iOS	USB	✓	✓	✓	✓	—	—	—
StarXpand SDK for Web	Google Chrome Browser *1 Microsoft Edge for Windows	USB	✓	✓	✓	—	—	—	—
StarPRNT SDK	Android	USB	✓	✓	✓	✓	—	—	—
	iOS	USB	✓	✓	✓	✓	—	—	—
	Windows Desktop	USB	✓	✓	✓	✓	—	—	—
	Windows UWP	—	—	—	—	—	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android/iOS	USB	✓	✓	✓	✓	—	—	—
PassPRNT	Android	USB	✓	✓	—	—	—	—	—
	iOS	USB	✓	✓	—	—	—	—	—
	Windows	—	—	—	—	—	—	—	—
Windows Driver	webPRNT Browser iOS	USB	✓	✓	—	—	—	—	—
OPOS	Windows	USB	✓	✓	✓	✓	—	—	—
JavaPOS	Windows/macOS/Linux	USB	✓	✓	—	—	—	—	—
CUPS	macOS/Linux	USB	✓	✓	—	—	—	—	—

\*1) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : POP10CBI (Bluetooth/USB)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/USB	✓	✓	✓	✓	—	—	—
	iOS	Bluetooth/USB	✓	✓	✓	✓	—	—	—
	Windows UWP	Bluetooth	✓	✓	✓	✓	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth/USB	✓	✓	✓	✓	—	—	—
	iOS	Bluetooth/USB	✓	✓	✓	✓	—	—	—
StarXpand SDK for Web	Google Chrome Browser *1 Microsoft Edge for Windows	USB	✓	✓	✓	—	—	—	—
StarPRNT SDK	Android	Bluetooth/USB	✓	✓	✓	✓	—	—	—
	iOS	Bluetooth/USB	✓	✓	✓	✓	—	—	—
	Windows Desktop	Bluetooth/USB	✓	✓	✓	✓	—	—	—
	Windows UWP	Bluetooth	✓	✓	✓	✓	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android/iOS	Bluetooth/USB	✓	✓	✓	✓	—	—	—
PassPRNT	Android	Bluetooth/USB	✓	✓	—	—	—	—	—
	iOS	Bluetooth/USB	✓	✓	—	—	—	—	—
	Windows	Bluetooth	✓	✓	—	—	—	—	—
Windows Driver	Windows	Bluetooth/USB	✓	✓	—	—	—	—	—
OPOS	Windows	Bluetooth/USB	✓	✓	✓	✓	—	—	—
JavaPOS	Windows/macOS/Linux	Bluetooth/USB	✓	✓	—	—	—	—	—
CUPS	macOS/Linux	Bluetooth/USB	✓	✓	—	—	—	—	—

\*1) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

# 【TSP100IV】

●Model : TSP143IV-UE (USB/Wired LAN), TSP143IV-UE SK (USB/Wired LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB	✓	✓	—	—	✓	✓	—
		Wired LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Wired LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	Wired LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Native Application	Android	USB	✓	✓	—	—	✓	✓	—
		Wired LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Wired LAN	✓	✓	✓	✓	✓	✓	✓
StarXpand SDK for Web	Google Chrome Browser *2 Microsoft Edge for Windows	USB	✓	✓	✓	—	✓	✓	—
StarPRNT SDK	Android	USB	✓	✓	—	—	✓	✓	—
		Wired LAN	✓	✓	✓	✓	✓	✓	✓
	iOS	Wired LAN	✓	✓	✓	✓	✓	✓	✓
	Windows Desktop	USB/Wired LAN	✓	✓	✓	✓	✓	✓	✓
	Windows UWP	Wired LAN	✓	✓	✓	✓	✓	✓	✓
CloudPRNT	Version HTTP	Wired LAN	✓	✓	✓	✓	✓	✓ *1	✓
	Version MQTT	Wired LAN	✓ (Firmware Ver. 2.2 or later)	✓ (Firmware Ver. 2.2 or later)	✓ (Firmware Ver. 2.2 or later)	✓ (Firmware Ver. 2.2 or later)	✓ (Firmware Ver. 2.2 or later)	✓ *1 (Firmware Ver. 2.2 or later)	✓ (Firmware Ver. 2.2 or later)
StarIO.Online	Version HTTP	Wired LAN	✓	✓	—	✓	✓	✓ *1	✓
	Version MQTT	Wired LAN	✓ (Firmware Ver. 2.2 or later)	✓ (Firmware Ver. 2.2 or later)	—	✓ (Firmware Ver. 2.2 or later)	✓ (Firmware Ver. 2.2 or later)	✓ *1 (Firmware Ver. 2.2 or later)	✓ (Firmware Ver. 2.2 or later)
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	USB	✓	✓	—	—	✓	✓	—
	webPRNT Browser iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	USB	✓	✓	—	—	✓	✓	—
		Wired LAN	✓	✓	—	—	✓	✓	✓
	iOS	Wired LAN	✓	✓	—	—	✓	✓	✓
	Windows	Wired LAN	✓	✓	—	—	✓	✓	✓
Windows Driver	Windows	USB/Wired LAN	✓	✓	—	—	✓	✓	✓
OPOS	Windows	USB/Wired LAN	✓	✓	✓	✓	✓	✓	✓
JavaPOS	Windows/macOS/Linux	USB/Wired LAN	✓	✓	—	—	✓	✓ *1	✓
CUPS	macOS/Linux	USB/Wired LAN	✓	✓	—	—	✓	✓	✓

\*1) Sound or volume selection is not supported.

\*2) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

● Model : TSP143IV-UEWB (Bluetooth/USB/Wired LAN/Wireless LAN), TSP143IV-UEWB SK (Bluetooth/USB/Wired LAN/Wireless LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB	✓	✓	—	—	✓	✓	—
		Bluetooth/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
	iOS	Bluetooth/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
	Windows UWP	Bluetooth/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
StarXpand SDK for Native Application	Android	USB	✓	✓	—	—	✓	✓	—
		Bluetooth/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
	iOS	Bluetooth/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
StarXpand SDK for Web	Google Chrome Browser *2 Microsoft Edge for Windows	USB	✓	✓	✓	—	✓	✓	—
StarPRNT SDK	Android	USB	✓	✓	—	—	✓	✓	—
		Bluetooth/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
	iOS	Bluetooth/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
	Windows Desktop	Bluetooth/USB/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
	Windows UWP	Bluetooth/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
CloudPRNT	Version HTTP	Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓ *1	—
	Version MQTT	Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓ *1	—
StarIO.Online	Version HTTP	Wired LAN/Wireless LAN	✓	✓	—	✓	✓	✓ *1	—
	Version MQTT	Wired LAN/Wireless LAN	✓	✓	—	✓	✓	✓ *1	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	USB	✓	✓	—	—	✓	✓	—
		Bluetooth	✓	✓	✓	✓	✓	✓	—
	webPRNT Browser iOS	Bluetooth	✓	✓	✓	✓	✓	✓	—
PassPRNT	Android	Bluetooth/USB/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
	iOS	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
	Windows	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
Windows Driver	Windows	Bluetooth/USB/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
OPOS	Windows	Bluetooth/USB/Wired LAN/Wireless LAN	✓	✓	✓	✓	✓	✓	—
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓ *1	—
CUPS	macOS/Linux	Bluetooth/USB/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—

\*1) Sound or volume selection is not supported.

\*2) Supported operating systems: Android, Windows, macOS, ChromeOS, and Linux (Ubuntu).

# 【TSP100III】

●Model : TSP100IIIW (Wireless LAN), TSP100IIIBI (Bluetooth), TSP100IIIILAN (Wired LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound *1	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
	iOS	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
	Windows UWP	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
StarXpand SDK for Native Application	Android	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
	iOS	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
	iOS	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
	Windows Desktop	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
	Windows UWP	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android/iOS	—	—	—	—	—	—	—	—
PassPRNT	Android/iOS/Windows	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
Windows Driver	Windows	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
OPOS	Windows	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
JavaPOS	Linux/Windows *2	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—
CUPS	macOS/Linux	Bluetooth/Wired LAN/Wireless LAN	✓	✓	—	—	✓	✓	—

\*1) Sound or volume selection is not supported.

\*2) JavaPOS in futurePRNT package is available for Windows.

● Model : TSP100IIIU (USB)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound *1	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB	✓	✓	✓	—	✓	✓	—
	iOS	USB	✓	✓	—	—	✓	✓	—
	Windows UWP	—	—	—	—	—	—	—	—
StarXpand SDK for Native Application	Android	USB	✓	✓	✓	—	✓	✓	—
	iOS	USB	✓	✓	—	—	✓	✓	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	USB	✓	✓	✓	—	✓	✓	—
	iOS	USB	✓	✓	—	—	✓	✓	—
	Windows Desktop	USB	✓	✓	✓	—	✓	✓	—
	Windows UWP	—	—	—	—	—	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android/iOS	—	—	—	—	—	—	—	—
PassPRNT	Android/iOS/Windows	USB	✓	✓	—	—	✓	✓	—
Windows Driver	Windows	USB	✓	✓	—	—	✓	✓	—
OPOS	Windows	USB	✓	✓	—	—	✓	✓	—
JavaPOS	Linux/Windows *2	USB	✓	✓	—	—	✓	✓	—
CUPS	macOS/Linux	USB	✓	✓	—	—	✓	✓	—

\*1) Sound or volume selection is not supported.

\*2) JavaPOS in futurePRNT package is available for Windows.

# 【TSP700II】

● Model : TSP743IIU (USB), TSP743IIBI (Bluetooth), TSP743IIE3 (LAN), TSP743IIE3X (LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound *1	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
	iOS	Bluetooth Model/LAN Model	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
	Windows UWP	Bluetooth Model/LAN Model	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
StarXpand SDK for Native Application	Android	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
	iOS	Bluetooth Model/LAN Model	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
	iOS	Bluetooth Model/LAN Model	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
	Windows Desktop	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
	Windows UWP	Bluetooth Model/LAN Model	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN Model (E3X model only)	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
	webPRNT Browser Android/iOS	BluetoothModel	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
PassPRNT	Android	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
	iOS/Windows	Bluetooth Model/LAN Model	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
Windows Driver	Windows	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
OPOS	Windows	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
JavaPOS	Windows/macOS/Linux	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
CUPS	macOS/Linux	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—

\*1) Sound or volume selection is not supported.

● Model : TSP743IIHIX (USB/LAN/Wireless LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound *1	Wireless LAN Unit
StarXpand SDK for React Native	Android	LAN	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
	iOS	LAN	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
	Windows UWP	LAN	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
StarXpand SDK for Native Application	Android	LAN	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
	iOS	LAN	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—	—	✓ (Firmware Ver. 7.1 or later)	✓ (Firmware Ver. 7.1 or later)	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	USB/LAN	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
	iOS	LAN	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
	Windows Desktop	USB/LAN	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
	Windows UWP	LAN	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—
CloudPRNT	Version HTTP	LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓	✓	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
	webPRNT Browser Android/iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
	iOS/Windows	LAN	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
Windows Driver	Windows	USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
OPOS	Windows	USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	✓ (Firmware Ver. 1.3 or later)	✓ (Firmware Ver. 1.3 or later)	—
CUPS	macOS/Linux	USB/LAN	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—	—	✓ (Firmware Ver. 5.0 or later)	✓ (Firmware Ver. 5.0 or later)	—

\*1) Sound or volume selection is not supported.

# 【TSP800II】

● Model : TSP847IIU (USB), TSP847IIBI (Bluetooth), TSP847IIE3 (LAN), TSP847IIE3X (LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	iOS	Bluetooth Model/LAN Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	Windows UWP	Bluetooth Model/LAN Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	iOS	Bluetooth Model/LAN Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	iOS	Bluetooth Model/LAN Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	Windows Desktop	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	Windows UWP	Bluetooth Model/LAN Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN Model (E3X model only)	✓	✓	—	—	—	—	—
	webPRNT Browser Android/iOS	BluetoothModel	✓	✓	—	—	—	—	—
PassPRNT	Android	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	—	—	—
	iOS/Windows	Bluetooth Model/LAN Model	✓	✓	—	—	—	—	—
Windows Driver	Windows	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	—	—	—
OPOS	Windows	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	—	—	—
JavaPOS	Windows/macOS/Linux	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	—	—	—
CUPS	macOS/Linux	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—

● Model : TSP847IIHIX (USB/LAN/Wireless LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	iOS	LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	Windows UWP	LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
StarXpand SDK for Native Application	Android	LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	iOS	LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	USB/LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	iOS	LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	Windows Desktop	USB/LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
	Windows UWP	LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—
CloudPRNT	Version HTTP	LAN	✓	✓	✓	✓	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓	✓	—	—	—
	webPRNT Browser Android/iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	—	—	—
	iOS/Windows	LAN	✓	✓	—	—	—	—	—
Windows Driver	Windows	USB/LAN	✓	✓	—	—	—	—	—
OPOS	Windows	USB/LAN	✓	✓	—	—	—	—	—
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	—	—	—
CUPS	macOS/Linux	USB/LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	—	—	—	—	—

# 【TSP650II】

● Model : TSP654IIU (USB), TSP654IIBI2 (Bluetooth), TSP654IIE3 (LAN), TSP654IIE3X (LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	Bluetooth Model/LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	Windows UWP	Bluetooth Model/LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
StarXpand SDK for Native Application	Android	Bluetooth Model/LAN Model USB Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	Bluetooth Model/LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓	—	—
	iOS	Bluetooth Model/LAN Model	✓	✓	—	—	✓	—	—
	Windows Desktop	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓	—	—
	Windows UWP	Bluetooth Model/LAN Model	✓	✓	—	—	✓	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN Model (E3X model only)	✓	✓	—	—	✓	—	—
	webPRNT Browser Android/iOS	BluetoothModel	✓	✓	—	—	✓	—	—
PassPRNT	Android	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓	—	—
	iOS/Windows	Bluetooth Model/LAN Model	✓	✓	—	—	✓	—	—
Windows Driver	Windows	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓	—	—
OPOS	Windows	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓	—	—
JavaPOS	Windows/macOS/Linux	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓	—	—
CUPS	macOS/Linux	Bluetooth Model/LAN Model USB Model	✓	✓	—	—	✓	—	—

● Model : TSP654IIHIX (USB/LAN/Wireless LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	Windows UWP	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
StarXpand SDK for Native Application	Android	LAN	✓	✓	—	—	✓	—	—
	iOS	LAN	✓	✓	—	—	✓	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	USB/LAN	✓	✓	—	—	✓	—	—
	iOS	LAN	✓	✓	—	—	✓	—	—
	Windows Desktop	USB/LAN	✓	✓	—	—	✓	—	—
	Windows UWP	LAN	✓	✓	—	—	✓	—	—
CloudPRNT	Version HTTP	LAN	✓	✓	✓	✓	✓	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓	✓	✓	—	—
	webPRNT Browser Android/iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	USB/LAN	✓	✓	—	—	✓	—	—
	iOS/Windows	LAN	✓	✓	—	—	✓	—	—
Windows Driver	Windows	USB/LAN	✓	✓	—	—	✓	—	—
OPOS	Windows	USB/LAN	✓	✓	—	—	✓	—	—
JavaPOS	Windows/macOS/Linux	USB/LAN	✓	✓	—	—	✓	—	—
CUPS	macOS/Linux	USB/LAN	✓	✓	—	—	✓	—	—

# 【FVP10】

● Model : FVP10U (USB), FVP10UBI (USB/Bluetooth), FVP10UE3 (USB/LAN), FVP10UE3X (USB/LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android/iOS/UWP	-	-	-	-	-	-	-	-
StarXpand SDK for Native Application	Android/iOS	-	-	-	-	-	-	-	-
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	-	-	-	-	-	-	-	-
StarPRNT SDK	Android	Bluetooth/USB/LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	-	-	-	-	-
	iOS	Bluetooth/LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	-	-	-	-	-
	Windows Desktop	Bluetooth/USB/LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	-	-	-	-	-
	Windows UWP	Bluetooth/LAN	✓ (Firmware Ver. 2.0 or later)	✓ (Firmware Ver. 2.0 or later)	-	-	-	-	-
CloudPRNT	Version HTTP	-	-	-	-	-	-	-	-
	Version MQTT	-	-	-	-	-	-	-	-
StarIO.Online	Version HTTP	-	-	-	-	-	-	-	-
	Version MQTT	-	-	-	-	-	-	-	-
webPRNT	Printer	LAN (E3X model only)	✓	✓	-	-	-	-	-
	webPRNT Browser Android/iOS	Bluetooth	✓	✓	-	-	-	-	-
PassPRNT	Android	Bluetooth/USB/LAN	✓	✓	-	-	-	-	-
	iOS/Windows	Bluetooth/LAN	✓	✓	-	-	-	-	-
Windows Driver	Windows	Bluetooth/USB/LAN	✓	✓	-	-	-	-	-
OPOS	Windows	Bluetooth/USB/LAN	✓	✓	-	-	-	-	-
JavaPOS	Windows/macOS/Linux	Bluetooth/USB/LAN	-	-	-	-	-	-	-
CUPS	macOS/Linux	Bluetooth/USB/LAN	-	-	-	-	-	-	-

**【SP700】**

●Model : SP747MU / SP717MU (USB), SP747ME3 / SP717ME3 (LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	USB Model LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	Windows UWP	LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
StarXpand SDK for Native Application	Android	USB Model LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	USB Model LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	Windows Desktop	LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	Windows UWP	LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android/iOS	—	—	—	—	—	—	—	—
PassPRNT	Android/iOS/Windows	—	—	—	—	—	—	—	—
Windows Driver	Windows	USB Model LAN Model	✓	✓	—	—	✓	—	—
OPOS	Windows	USB Model LAN Model	✓	✓	—	—	✓	—	—
JavaPOS	Windows/macOS/Linux	USB Model LAN Model	✓	✓	—	—	✓	—	—
CUPS	macOS/Linux	USB Model LAN Model	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—

● Model : SP700HIX (USB/LAN)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	Windows UWP	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
StarXpand SDK for Native Application	Android	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	USB/LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	iOS	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	Windows Desktop	USB/LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
	Windows UWP	LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—
CloudPRNT	Version HTTP	—	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	✓ (Firmware Ver. 3.0 or later)	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	LAN	✓	✓	✓	✓	✓	—	—
	webPRNT Browser Android/iOS	—	—	—	—	—	—	—	—
PassPRNT	Android/iOS/Windows	—	—	—	—	—	—	—	—
Windows Driver	Windows	USB/LAN	✓	✓	—	—	✓	—	—
OPOS	webPRNT Browser Android	USB/LAN	✓	✓	—	—	✓	—	—
JavaPOS	webPRNT Browser iOS	USB/LAN	✓	✓	—	—	✓	—	—
CUPS	macOS/Linux	USB/LAN	✓ (Firmware Ver. 4.0 or later)	✓ (Firmware Ver. 4.0 or later)	—	—	✓ (Firmware Ver. 4.0 or later)	—	—

【SM-S】

●Model : SM-S230i (Bluetooth/USB)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth	✓ (Firmware Ver. 1.8 or later)	—	—	—	—	—	—
	iOS	Bluetooth	✓ (Firmware Ver. 1.8 or later)	—	—	—	—	—	—
	Windows UWP	Bluetooth	✓ (Firmware Ver. 1.8 or later)	—	—	—	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth	✓ (Firmware Ver. 1.8 or later)	—	—	—	—	—	—
	iOS	Bluetooth	✓ (Firmware Ver. 1.8 or later)	—	—	—	—	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth	✓	—	—	—	—	—	—
	iOS	Bluetooth	✓	—	—	—	—	—	—
	Windows Desktop	Bluetooth	✓	—	—	—	—	—	—
	Windows UWP	Bluetooth	✓	—	—	—	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android/iOS	Bluetooth	✓	—	—	—	—	—	—
PassPRNT	Android/iOS/Windows	Bluetooth	✓	—	—	—	—	—	—
Windows Driver *1	Windows	Bluetooth	✓	—	—	—	—	—	—
OPOS *1	Windows	Bluetooth	✓	—	—	—	—	—	—
JavaPOS *1	Windows/macOS	Bluetooth	✓	—	—	—	—	—	—
CUPS *1	macOS	Bluetooth	✓	—	—	—	—	—	—

\*1) It is necessary to change printer setting to StarPRNT mode. It is necessary to change printer setting to StarPRNT mode.

# 【SM-T】

Firmware version 3.0 or later

● Model : SM-T300i (Bluetooth), SM-T400i (Bluetooth)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth	✓ (Firmware Ver. 4.3 or later)	—	—	—	—	—	—
	iOS	Bluetooth	✓ (Firmware Ver. 4.3 or later)	—	—	—	—	—	—
	Windows UWP	Bluetooth	✓ (Firmware Ver. 4.3 or later)	—	—	—	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth	✓ (Firmware Ver. 4.3 or later)	—	—	—	—	—	—
	iOS	Bluetooth	✓ (Firmware Ver. 4.3 or later)	—	—	—	—	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth	✓	—	—	—	—	—	—
	iOS	Bluetooth	✓	—	—	—	—	—	—
	Windows Desktop	Bluetooth	✓	—	—	—	—	—	—
	Windows UWP	Bluetooth	✓	—	—	—	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android/iOS	Bluetooth	✓	—	—	—	—	—	—
PassPRNT	Android/iOS/Windows	Bluetooth	✓	—	—	—	—	—	—
Windows Driver *1	Windows	Bluetooth	✓	—	—	—	—	—	—
OPOS *1	Windows	Bluetooth	✓	—	—	—	—	—	—
JavaPOS *1	Windows/macOS	Bluetooth	✓	—	—	—	—	—	—
CUPS *1	macOS	Bluetooth	✓	—	—	—	—	—	—

\*1) It is necessary to change printer setting to StarPRNT mode. It is necessary to change printer setting to StarPRNT mode.



【SM-L】

●Model : SM-L200 Bluetooth (Except for iOS), Bluetooth LE (iOS only), USB (Only for the printer which "BT/USB" is displayed in the ID seal.)

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth	✓ (Firmware Ver. 3.1 or later)	—	—	—	—	—	—
	iOS	BLE	✓ (Firmware Ver. 3.1 or later)	—	—	—	—	—	—
	Windows UWP	Bluetooth	✓ (Firmware Ver. 3.1 or later)	—	—	—	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth	✓ (Firmware Ver. 3.1 or later)	—	—	—	—	—	—
	iOS	BLE	✓ (Firmware Ver. 3.1 or later)	—	—	—	—	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth	✓	—	—	—	—	—	—
	iOS	BLE	✓	—	—	—	—	—	—
	Windows Desktop	Bluetooth/USB	✓	—	—	—	—	—	—
	Windows UWP	Bluetooth	✓	—	—	—	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	Bluetooth	✓	—	—	—	—	—	—
	webPRNT Browser iOS	BLE	✓	—	—	—	—	—	—
PassPRNT	Android/Windows	Bluetooth	✓	—	—	—	—	—	—
	iOS	BLE	✓	—	—	—	—	—	—
Windows Driver	Windows	Bluetooth/USB	✓	—	—	—	—	—	—
OPOS	Windows	Bluetooth/USB	✓	—	—	—	—	—	—
JavaPOS	Windows/macOS	Bluetooth/USB	✓	—	—	—	—	—	—
CUPS	macOS	Bluetooth/USB	✓	—	—	—	—	—	—

● Model : SM-L300 Bluetooth (Except for iOS), Bluetooth LE (iOS only), USB

(Note) This series have been discontinued.

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth	✓ (Firmware Ver. 2.2 or later)	—	—	—	—	—	—
	iOS	BLE	✓ (Firmware Ver. 2.2 or later)	—	—	—	—	—	—
	Windows UWP	Bluetooth	✓ (Firmware Ver. 2.2 or later)	—	—	—	—	—	—
StarXpand SDK for Native Application	Android	Bluetooth	✓ (Firmware Ver. 2.2 or later)	—	—	—	—	—	—
	iOS	BLE	✓ (Firmware Ver. 2.2 or later)	—	—	—	—	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Bluetooth	✓	—	—	—	—	—	—
	iOS	BLE	✓	—	—	—	—	—	—
	Windows Desktop	Bluetooth	✓	—	—	—	—	—	—
	Windows UWP	Bluetooth	✓	—	—	—	—	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	Bluetooth	✓	—	—	—	—	—	—
	webPRNT Browser iOS	BLE	✓	—	—	—	—	—	—
PassPRNT	Android/Windows	Bluetooth	✓	—	—	—	—	—	—
	iOS	BLE	✓	—	—	—	—	—	—
Windows Driver	Windows	Bluetooth/USB	✓	—	—	—	—	—	—
OPOS	Windows	Bluetooth/USB	✓	—	—	—	—	—	—
JavaPOS	Windows/macOS	Bluetooth/USB	✓	—	—	—	—	—	—
CUPS	macOS	Bluetooth/USB	✓	—	—	—	—	—	—

# 【mC-Connect Drawer】

● Model : MCD10UEWB (Bluetooth Low Energy/USB/Wired LAN/Wireless LAN)

		Interface	Printing	Drawer	SCD222U	BCR	BU01	mC-Sound	Wireless LAN Unit
StarXpand SDK for React Native	Android	Bluetooth LE/USB/Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
	iOS	Bluetooth LE/Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
	Windows UWP	Bluetooth LE/USB/Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
StarXpand SDK for Native Application	Android	Bluetooth LE/USB/Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
	iOS	Bluetooth LE/Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
StarXpand SDK for Web	Google Chrome Browser Microsoft Edge for Windows	—	—	—	—	—	—	—	—
StarPRNT SDK	Android	Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
	iOS	Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
	Windows Desktop	Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
	Windows UWP	Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
CloudPRNT	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
StarIO.Online	Version HTTP	—	—	—	—	—	—	—	—
	Version MQTT	—	—	—	—	—	—	—	—
webPRNT	Printer	—	—	—	—	—	—	—	—
	webPRNT Browser Android	—	—	—	—	—	—	—	—
	webPRNT Browser iOS	—	—	—	—	—	—	—	—
PassPRNT	Android	—	—	—	—	—	—	—	—
	iOS	—	—	—	—	—	—	—	—
	Windows	—	—	—	—	—	—	—	—
Windows Driver	Windows	Wired LAN/Wireless LAN	—	✓ *1	—	—	✓ *1	—	—
OPOS	Windows	Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
JavaPOS	Windows/macOS/Linux	Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—
CUPS	macOS/Linux	Wired LAN/Wireless LAN	—	✓	—	—	✓	—	—

\*1.) Use the printer queue for Star Micronics printers. For details on how to configure it, please refer to the manual included with Star Windows Software.